```
REGRESSION
  /DESCRIPTIVES MEAN STDDEV CORR SIG N
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA COLLIN TOL CHANGE ZPP
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Loyalitas_Y
  /METHOD=ENTER Disiplin_Preventif_X
  /SCATTERPLOT=(*ZPRED ,*SRESID)
  /RESIDUALS DURBIN HISTOGRAM(ZRESID) NORMPROB(ZRESID).
```

Variables Entered/Removed[b]

Model	Variables Entered	Variables Removed	Method
1	loyalitas[a]	.	Enter

a. All requested variables entered.

b. Dependent Variable: disiplin preventif

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.645[a]	.417	.404	12.201

a. Predictors: (Constant), loyalitas

b. Dependent Variable: disiplin preventif

ANOVA[b]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	5103.172	1	5103.172	34.280	.000[a]
	Residual	7145.708	48	148.869		
	Total	12248.880	49			

a. Predictors: (Constant), loyalitas

b. Dependent Variable: disiplin preventif

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	63.641	24.260		2.623	.012
	loyalitas	.730	.125	.645	5.855	.000

a. Dependent Variable: disiplin preventif

Residuals Statistics[a]

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	169.46	209.60	205.32	10.205	50
Std. Predicted Value	-3.514	.419	.000	1.000	50
Standard Error of Predicted Value	1.726	6.363	2.189	1.088	50
Adjusted Predicted Value	156.07	210.99	205.35	10.478	50
Residual	-57.597	39.812	.000	12.076	50
Std. Residual	-4.721	3.263	.000	.990	50
Stud. Residual	-4.777	3.798	-.001	1.060	50
Deleted Residual	-58.988	53.935	-.029	13.954	50
Stud. Deleted Residual	-6.527	4.493	-.027	1.291	50
Mahal. Distance	.000	12.348	.980	2.777	50
Cook's Distance	.000	2.558	.091	.379	50
Centered Leverage Value	.000	.252	.020	.057	50

a. Dependent Variable: disiplin preventif

Variables Entered/Removed[b]

Model	Variables Entered	Variables Removed	Method
1	DFFIT, loyalitas[a]	.	Enter

a. All requested variables entered.

b. Dependent Variable: disiplin preventif

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.844[a]	.713	.701	8.650

a. Predictors: (Constant), DFFIT, loyalitas

b. Dependent Variable: disiplin preventif

ANOVA[b]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	8732.176	2	4366.088	58.352	.000[a]
	Residual	3516.704	47	74.823		
	Total	12248.880	49			

a. Predictors: (Constant), DFFIT, loyalitas

b. Dependent Variable: disiplin preventif

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	64.968	17.200		3.777	.000
	loyalitas	.723	.088	.640	8.187	.000
	DFFIT	3.467	.498	.544	6.964	.000

a. Dependent Variable: disiplin preventif

Residuals Statistics[a]

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	147.25	219.57	205.32	13.349	50
Std. Predicted Value	-4.350	1.067	.000	1.000	50
Standard Error of Predicted Value	1.225	8.358	1.690	1.291	50
Adjusted Predicted Value	143.98	354.23	208.02	24.904	50
Residual	-52.838	14.682	.000	8.472	50
Std. Residual	-6.108	1.697	.000	.979	50
Stud. Residual	-6.202	1.759	-.064	1.162	50
Deleted Residual	-144.231	15.760	-2.695	22.227	50
Stud. Deleted Residual	-14.393	1.800	-.251	2.228	50
Mahal. Distance	.003	44.770	1.960	7.124	50
Cook's Distance	.000	86.528	1.747	12.235	50
Centered Leverage Value	.000	.914	.040	.145	50

a. Dependent Variable: disiplin preventif

CORELASI

Correlations

		disiplin preventif	loyalitas
disiplin preventif	Pearson Correlation	1	.645**
	Sig. (2-tailed)		.000
	N	50	50
loyalitas	Pearson Correlation	.645**	1
	Sig. (2-tailed)	.000	
	N	50	50

**. Correlation is significant at the 0.01 level (2-tailed).

NORMALITAS

One-Sample Kolmogorov-Smirnov Test

		disiplin preventif	loyalitas
N		50	50
Normal Parameters[a]	Mean	205.32	194.14
	Std. Deviation	15.811	13.984
Most Extreme Differences	Absolute	.512	.356
	Positive	.384	.338
	Negative	-.512	-.356
Kolmogorov-Smirnov Z		.621	.517
Asymp. Sig. (2-tailed)		.000	.000

a. Test distribution is Normal.

FREQUENSI TABEL

Statistics

		disiplin preventif	loyalitas
N	Valid	50	50
	Missing	0	0
Mean		205.32	194.14
Median		210.00	200.00
Std. Deviation		15.811	13.984
Minimum		152	145
Maximum		210	200
Sum		10266	9707

disiplin preventif

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	152	3	6.0	6.0	6.0
	153	1	2.0	2.0	8.0
	209	3	6.0	6.0	14.0
	210	43	86.0	86.0	100.0
	Total	50	100.0	100.0	

loyalitas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	145	1	2.0	2.0	2.0
	146	1	2.0	2.0	4.0
	152	1	2.0	2.0	6.0
	158	1	2.0	2.0	8.0
	174	1	2.0	2.0	10.0
	182	1	2.0	2.0	12.0
	191	1	2.0	2.0	14.0
	194	5	10.0	10.0	24.0
	197	3	6.0	6.0	30.0
	199	2	4.0	4.0	34.0
	200	33	66.0	66.0	100.0
	Total	50	100.0	100.0	

RELIABILITAS

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded[a]	0	.0
	Total	50	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.781	2

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
disiplin preventif	194.14	195.551	.645	.[a]
loyalitas	205.32	249.977	.645	.[a]

a. The value is negative due to a negative average covariance among items. This violates reliability model assumptions. You may want to check item codings.